


ACCESS TO

MAINTENANCE DOCUMENTS

Formation Filière Avions



Pocket Glossary
Octobre 2009

A

about	environ - au sujet de	around - approximately	about 250 knots - talk about airplanes	
above	au dessus	over - overhead - in excess	O2 mask above your seat	location
accommodate	recevoir - accueillir	house - take	the casing accommodates two motors	
according to	selon - conformément à	per - following - in compliance with	according to the instructions	
accuracy	précision	precision	with an accuracy 0.002mm	
achieve	réaliser	produce - ensure	achieve a constant flow	actions
across	à travers	from side to side	apply 5V across point AJ - across the cabin	location
act	agir - servir de	affect - serve as - used as	the spring acts on the rod - the regulating valve acts as a shut-off valve	Verbs-Vocab.
actual	réel	effective - real	ATA: actual time of arrival	hazards
actuate	actionner	activate - operate	the motor actuates the valve	
actuator	vérin	jack - motor - drive	servo actuator - gear actuator	word building
add	ajouter - additionner	increase - join - sum	add oil - add 34 - add 2 plus 4	verbs-vocab
additional	supplémentaire	extra - more - further	additional support	
adjacent to	près de	near - in the vicinity of - close to	adjacent to the exit	Location
aft	arrière	rear - back	aft cabin - move aft	location
after	après	subsequent to - post - later	after take-off checklist	hazards
again	à nouveau - encore	another time	do step 2 again	how you work
against	contre	next to - touching - versus	the roller rests against its stop	location
agree	être en accord	comply with - conform to	make sure the two readings agree	disagree
airborne	embarqué - décollé	on board - in flight	APU	
aircraft	avion	airplane - plane	aircraft electrical network	
airframe	cellule	structure	A and P: airframe and power plant	
airplane	avion	aircraft	B777 - MD11 - Tristar	
airspeed	vitesse relative	Vp	airspeed indicator	
allow	permettre	enable - permit	the CSD allows the input speed to be constant	
alloy	alliage	mixture - combination	aluminum alloy	description
almost	presque	nearly	98%:almost 100%	
already	déjà	previously - before - now	make sure the power is already supplied	how you work
also	aussi - également	too - as well	the MCDU also provides flight plan monitoring	linking
alternate	de secours - de dégagement	standby-backup-secondary	alternate braking - alternate airport	description
alternating	alternatif	AC	115V 400 Hertz	hazards

although	quoique	even though	with CAT III the aircraft can land although visibility is bad	linking
always	toujours	permanently - all the time	the engine parameters are always displayed	
amount	quantité - somme	quantity - level - price	amount of corrosion	
annular	annulaire	circular - ring	annular combustor	description
annunciator light	voyant	caption - indicator light	dim - bright - test - amber - green	
anti-chafe	anti-frottement	anti-friction	anti-chafe grommet - anti-chafe protection	description
any	n'importe - (not any = pas de)	some - indifferently - it does not matter which	use any approved material	quantities
apart	séparé - excepté	separate - isolated	keep the two sources apart	
appear	apparaître	show - display - come into view	the message appears on the display unit	
apply	appliquer	put - comply - follow - exert	apply a layer of sealant - pressure - procedure - brakes	
appropriate	approprié - correspondant	suitable - related - associated - relevant	appropriate tool	
area	zone - surface	surface - vicinity - extent - zone	damaged area - area of the wing - 125 square meters	description
around	autour - environ	about - approximately	put cable ties around the wire loom - around 5 o'clock	location
arrow	flèche	pointer - cursor	green arrow	
as	comme - puisque - en tant que - au fur et à mesure	like - since - because	it operates as a regulating and shutoff valve- be careful as it is dangerous - temperature decreases as altitude increases	linking
as long as	tant que	while - when	the lights remain on as long as the switch is pushed in	linking
as required	comme nécessaire	as needed - as necessary - A/R	replace as required	
as soon as	dès que	when - once	the spoilers deploy as soon as the aircraft touches down	linking
assembly	ensemble	ASSY	next higher assembly	
at	à	on - in	at 300 feet - at 6 o'clock - at the airport - at work	location
at least	au moins	minimum	the tank must contain at least 500 kg.	quantities
attempt	essayer - essai	try	attempt to start	
available	disponible	ready	ground power available	description
average	moyenne	mean	average time	
avoid	éviter	prevent	shock mounts avoid excessive vibration	hazards
away	à l'écart de	off - far	away from - go away - keep away	location
axle	essieu - fusée	shaft	twin axle bogie - wheel axle - axle weight	

B

back	arrière - en arrière - dos - dossier	rear - aft	QRF: in-flight turn-back - seat back	location
backlash	jeu - courant inverse	play	flap backlash	
backshell	arrière-corps	housing	connector	
backup	de secours	standby - alternate - emergency	backup system	
bag	sac	container - envelope	put the removed part in a polythene bag	
ballscrew	vérin à vis	screw jack	flap ballscrew actuator	
band	bride - ruban - bandeau - trait	strap - range	support band - colored bands - frequency band	
bare	nu	stripped - untreated	surface - wires	description
basic	de base	elementary	basic structure	
basis	base	principle - foundation	on the basis of - on an experimental basis	
bay	soute	compartment - wheel well	avionics - cargo - landing gear	
bead	cordons - perle	strip	sealant - weld	
bearing	roulement - palier - relèvement		ball bearing - roller bearing - bearing race - bearing and distance	hardware
bearing surface	surface d'appui	faying surface - spherical bearing - mating surface	make sure the bearing surface is clean	
become	devenir	get	the brakes become hot	
before	avant	prior to	before take-off checklist	linking
behind	derrière	aft of	the flight crew life vests are stowed in a pocket behind the seats	location
bell	cloche-sonnerie	audio warning	fire bell - bell cut-off	
below	sous	under - beneath - underneath	a life vest below your seat	location
bench	banc	rig - table - equipment table	test bench - work bench - benchmark-	tools
bend	cintrer - courber	fold - flex	bend the hose for installation	verbs-vocab
better	meilleur	improved	first class is better than economy	
beyond	au delà	further - over - above	overspeed: beyond Vmax	location
binding	grippage - point dur	seizure - stiffness - hard point	piston - shaft	damage
blade	aillette - lame - balais	cutting edge - cutter - engine airfoil	fan blade - knife blade - windshield wiper blade	
blanking	obturation	stopping	blanking caps - blanking plugs - blanking covers	compounds
blanking cap	bouchon obturateur (élec)	cover - protection	put blanking caps on the disconnected electrical	hardware

			connectors	
blanking plug	bouchon obturateur (liquides)	cover - protection	put blanking plugs on the disconnected line ends	hardware
blast	souffler - souffle	blow	blast fence - blasting - blast clean	how you work
bleed	prélever - soutirer - prélèvement	tap	bleed valve	
blood	sang	red fluid in body	body - injury - bleed - bleeding - red - first aid kit	
board	carte - planche	card	printed circuit	
body	corps	casing - housing	valve body - human body	
bogie beam	balancier de boggie	strut - truck	4-wheel bogie	compounds
bond	coller - mettre à la masse	stick - ground - connect together	static - braid - jumper - bonding agent - surfaces	how you work
bonding	collage - métallisation	sticking-grounding	bonding agent - bonding jumper	how you work
bonding jumper	cavalier - fil de masse	bonding braid - wire - strap	static	hardware/compounds
bonding strap	fil de masse	bonding braid - wire	connect the bonding strap to the lug	hardware
booster	gavage - suralimentation	low pressure compressor	pump - compressor	
boss	bossage	pad - protruberance	fuel nozzle	
both	tous les deux	the two - together	test both fire detection loops	quantities
bottle	bouteille - cylindre	cylinder	oxygen bottle - fire extinguishing bottle	
bottom	bas - fond	base - lower	the pumps are mounted on the bottom of the tanks	location
box	boîtier - caisson	unit - container - rectangular structure	black box - wing box - wing center box	
bracket	équerre - support - patte	fitting	mounting - support	hardware
braid	trousse	strap - wire	bonding braid - attachment	hardware
brand	marque	make - trade mark	brand name	
break	fracture - casser	rupture - failure -interruption	structure - communication - no-break power transfer	
breathe	respirer	inhale	gas - vapor	
BRG	relèvement	bearing	ADF - beacon -navigation	
brightness	intensité lumineuse	light - clarity	brightness knob - bright/dim control	
brush	brosser - brosse		apply the varnish with a brush - generator brushes - carbon brush	tools
bubble	bulle	ball of air	air bubble - gas bubble	
built-in	incorporé	self-contained	BITE: built-in test equipment	word building
bulkhead	cloison - cloison étanche	partition-wall	aft pressure bulkhead	
bundle	faisceau	loom	wires	hardware

burn	brûlure	combustion	fuel - skin	
burr	bavure	rough edge	remove all burrs	damage / deburr
bus bar	barre de distribution		hot bus - essential bus	
bushing	bague	bush	shouldered bushing - threaded bushing	
butterfly	papillon	throttle	butterfly valve - butterfly nut	

C

cable tie	serre-cable - collier	clamp - tywrap	loom - harness - bundle	hardware
cam	came		camshaft	
can	pouvoir - boîte métallique	be able - canister	the engine can produce 10 t of thrust - oil can	modals
cancel	annuler - supprimer	clear - stop	cancel the audio warning	
canister	cloche - boîte	housing - can	fuel pump	
cap	capuchon - boucher	plug - cover - blank - stop	blanking cap - cap the connector	hardware
capacity	contenance	maximum contents - volume	the tank has a capacity of 350 liters	
careful	prudent - attentif	attentive - prudent	be careful	care - carefully
carrier	compagnie	airline-operator	international carrier - carrier frequency	
cart	groupe de parc	GPU	ground power cart	
cartridge	cartouche	squib	fire extinguisher cartridge	
casing	carter - corps	case - housing - body - frame	compressor casing	
catch	attraper - crochet	grasp - latch	the filter catches particles - door catch	hardware
cause	provoquer	result in - lead to	sudden movement of the surfaces can cause injury to persons	verbs-vocab
caution	attention - avertissement	alert	master caution light	cautions
ceiling	plafond	top surface of a room	floor - wall - cabin - operational	
centerline	axe géométrique	longitudinal axis	aircraft centerline - engine centerline - runway centerline	
chafing	frottement	rubbing - fretting	loose fittings can cause chafing	damage
chart	abaque - courbe - carte	graph - curve - map	tire inflation chart - navigation chart	
chocks	cales	wheel chocks	chocks in place	
circuit breaker	disjoncteur	CB - breaker	open - close - trip	
clamp	collier	strap - tie	V-clamp	hardware
cleaning	nettoyage	scouring - stripping - blasting	solvent - cleaning agent	how you work
clear	dégager - effacer - sans obstacle	erase - cancel - free	clean and clear of unwanted items	
clearance	jeu fonctionnel - autorisation	nominal distance - authorization	gap - play - tolerance	
clevis	chape	fork end	attach the spherical bearing to the clevis	hardware
clockwise	sens horaire	CW	tighten - turn	counterclockwise -location
closely	de près	carefully - thoroughly	inspect the parts closely for any damage	

close-up	remise en état	return to normal	set-up - removal - installation - close-up	installation and removal
clothing	vêtements	clothes - garments	protective clothing	
clutch	embrayage	gear	automatic clutch - gear wheel - engage	
coat	enduire - couche	apply-layer	one coat of primer - top coat	
collar	bague - manchon - entretoise	ring	shear rivet collar	hardware
come on	s'allumer	illuminate	the MASTER CAUTION light comes on	actions
complete	terminer - entier	finish - end - entire -total - all	procedure completed	
component	composant	part - item	maintenance manual	
compound	mastic	sealant	apply	
conduit	gaine - canalisation	pipe - sheath - shroud	routing - wiring	
consist of	être composé de	comprise - made of	the assembly consists of seven parts	
control	commander - commande	command - signal - order	control the ailerons - flight controls	hazards
controller	régulateur	computer - unit	pressure - temperature	
cool	refroidir - frais	remove heat - cold	the heat exchanger cools the bleed air	description
cooling	refroidissement	refrigeration	brake cooling fan	endings
copper	civre	Cu	wiring	
core	noyau - âme - armature	heart - center	metal core - core engine	
cotter pin	goupille fendue	safety	remove and discard the cotter pin from the fitting	hardware
could	pourrait	can - may	sudden movement could cause damage	modals
counterclockwise	sens anti-horaire	CCW - anticlockwise	loosen - turn	clockwise - location
countersink	fraiser	make flush	countersunk screws	how you work
cover	couvrir - cache	protect - hide - conceal - protection	cover the area with a coat of primer - dust cover	
cowl	capot	fairing	fan cowl	cowling
cowling	capotage	fairings	engine cowlings	cowl
crack	crique	a thin opening - structural damage	hairline cracks - growth - depth - length	damage
crank	ventiler - manivelle	motor	crank the engine - crank handle	
crimp	sertir	swage	crimping lug	
crimping	sertissage	connect electrical wires	crimping lug - crimping tool	how you work
cross-beam	traverse	traversal floor support	the seat rails rest on the cross beams	compounds
crush	écraser	squash - flatten	crushproof - do not crush components	
curing	polymérisation	drying	curing time - at ambient	how you work

			temperature - bonding agent - sealant	
cut	couper - coupure - blessure	incise - incision	cut the lockwire - sharp objects can cause cuts	verbs-vocab
cut out	découper	cut and remove - isolate - rupture	cut out the damaged section of the rail	
cutout	découpe	feed-through	feed the cables through the cutout	word building

D

daily	journalier	every day	daily check - daily flight	
damp	humide	moist - wet	cloth	description
damper	amortisseur	snubber - shock absorber	yaw damper - landing gear	word building
dark	foncé - sombre	deep - without light	dark blue - lights out	description
data	données - informations	inputs - information	data processing - DFDR	
deadband	plage inutilisée	beyond limits	frequency - range	
debonding	décollement	delamination	debonding of composite materials	damage
deburr	ébavurer	remove sharp edges	deburr the rough edges of the panel	how you work
decrease	diminuer	reduce - diminish	decrease the speed	verbs-vocab
de-energize	couper l'alimentation élec.	cut off - turn off - remove electrical power	de-energize the aircraft electrical network	verbs-vocab
deep	profond	with depth	deep crack - deep groove	description
defective	défectueux	faulty - inoperative	defective part	description
deflate	dégonfler	remove air or gas	tires - escape slides - masks	verbs-vocab
delay	retarder - retard	behind schedule	delayed flight - time delay	
delete	annuler	cancel - erase - remove text - clear	delete the number - line - information	
dent	impact	impact damage	inspect for dents on the leading edge	damage
depth	profondeur	distance below the surface	measure the depth of the hole	description
design	concevoir	make to/for - plan - conceive	the alternate system is designed to operate in an emergency	
despite	malgré	in spite of - although	despite the failure	linking
device	dispositif	unit - equipment	monitoring device	
device	dispositif	item	electronic device - timing device	
digit	unité - chiffre	unit - number	hundreds - tens - digits - digital	
dim	atténuer l'intensité	turn down - reduce the intensity of lights	lights - bright	
dirt	saleté	dust - contamination - grease - pollution	remove all dirt - the surface must be dirt-free	description
disable	désactiver	de-activate - inhibit	an inhibit signal disables the function	
disagree	désaccord	discrepancy - difference - error	signal disagree	
discard	rebuter	scrap - throw away - destroy	remove and discard the lockwire	actions - verbs vocab
display	afficher	indicate - show	parameters - screen	actions

disregard	ne pas tenir compte	ignore - not take into account	disregard this message. It is spurious	
ditching	amérissage	forced landing - forced landing on water	ditching valve	
downstream	en aval	below - lower point in a fluid system	downstream of the pump	location
drift	dérive	deviation - difference	drift angle - 2°drift	
drill	percer - perceuse	make a circular hole by a fast rotating movement	drill new holes with a 24 dia.bit	how you work
drip	goutter	leak - flow - fall in drops	fuel - water - oil	
drive	entraîner - entraînement	actuate - motor - transmit energy / movement	the motor drives the outflow valve - constant speed drive	
drive out	chasser	hit a bolt etc. to remove it from a hole	drive out the bolts with a mallet	word building
drive train	ensemble d'entraînement	transmission		
drop	tomber - descendre	fall - decrease	the pressure may drop	actions
dry	sécher - sec	to remove moisture - without water or other liquid	dry the surface with a clean lint-free cloth	description
duct	conduit - gaine	line - pipe	air conditioning duct	
due to	à cause de	because of - as a result of	the contactor opened due to an overvoltage	linking
dustfree	sans poussière	without dust	store the equipment in a cool dustfree environment	description - word building

E

each	chaque	every - all	each hydraulic system has its own reservoir	quantities
ear	oreille	part of the body used to hear with	protect your ears when you use pneumatic tools	warnings
early	précoce - de bonne heure	in advance	early in the morning - too early	late
eddy current	courants de Foucault	electrical corrosion detection	NDT - inspection - cracks	
edge	bord	side	leading edge	location
either	soit soit	or - either or	either 1 or 2	quantities
elbow	coude	middle of your arm - pipe at 90°	elbow union	warnings
embodied	incorporé	incorporated	the SB will be embodied in June	word building
empty	vide	without contents	drain the tank until it is empty	description
end	extrémité - bout - fin	tip - extremity	disconnected line ends	location
enable	permettre	allow - permit	a manual override enables the valve to be opened in an emergency	Verbs-Vocab.
energize	mettre sous tension	turn on - provide electrical power	energize the display units	
engineer	mécanicien - ingénieur	mechanic - technician	ground engineer - flight engineer - aeronautical engineer	
engineering	bureau technique	technical department	send the report to the engineering department	
ensure	assurer - vérifier	assure - make sure - check	the controller ensures a constant cabin temperature	
entire	complet	complete - all - whole	the entire task	quantities
entry	écriture - entrée - admission	input - inlet - entrance	logbook entry - entry corridor	
equal	égal - égaliser	same - identical	50 miles is equal to 80 km - three squared equals nine - equally spaced	description
erase	effacer	cancel - clear - suppress	erase the message	
even	pair - égal - même	smooth - regular - steady	2-4-6-8 - an even finish	
exceed	dépasser	go beyond	limit - reach - the temperature must not exceed 85 °C	verbs
excess	excédent	excessive - too much	excess weight	
exercise	exercer	use - apply	exercise care	
exert	exercer	apply	exert only hand pressure	
exhaust	échappement - sortie	outlet	exhaust nozzle - APU exhaust	
exit	sortie - issue	way out - outlet	emergency exit	
expand	se dilater	grow - inflate - extend	the material expands as the	

			temperature rises	
extend	sortir - étendre	deploy	flaps - slats - gear	actions
extinguish	éteindre	put out	extinguish the fire	
extract	extraire	pull out	extract a pin - insert	
eye	œil	spherical bearing - you use it to see with	rinse your eyes - eye end	

F

fabric	tissu	cloth - material	seat cover fabric - cotton - wool - synthetic	
failure	panne	fault - malfunction - rupture	multiple failure - system failure	
fairing	carenage - raccordement	casing	wing tip - belly	
fairlead	guide-cables	cable guide	flight control cable fairlead	
fall	tomber - chute	drop - decrease	the passenger oxygen masks fall	
farther	plus loin	further - more	do not drill farther than	
fasten	attacher	secure - tighten	fasten seat belts	
fastener	attache rapide	QAD	quick release fastener - turn 90°	hardware
fault	panne	failure - malfunction	CFDS - repair the fault	
faulty	défectueux	inoperative	replace the faulty part	
faying	de contact - de recouvrement	mating	clean - anodize the faying surfaces	
feature	avoir comme caractéristique	comprise - include	the circuit features a time-delay	
feed	alimenter	supply	the tank feeds the engine - feeder pin - feeder tank - crossfeed valve	
feel	sentir	touch - sensation	feel the pipe with your fingers for leaks - artificial feel	
fiberglass	fibre de verre	light synthetic material made of glass fibers and resin	fiberglass panels	
field	champ - terrain	area - zone - airport	magnetic field- airfield altitude	
file	fichier - lime	dossier	data file - your file	
fill	remplir	add a fluid up to the top of a container	fill the water tanks	verbs-vocab
fill-out	remplir	fill-in - write information on a document	fill out and sign the job card	
find	trouver	discover	past: found	actions
finger	doigt	there are five on each hand - plunger	finger tight	finger pressure
fire fighting	lutte contre l'incendie	fire protection	fire fighting equipment	compounds
firewall	cloison pare-feu	heatshield	engine firewall	
firing	mise à feu - déclenchement	discharge	extinguisher bottle firing	endings
first	premier	1st	first class - last	
first aid kit	trousse de premier secours	used to care for sick or injured persons	first aid kits contain basic medical supplies	
fit	fixer - ajuster	install - adjust	fit the bracket with four	

			screws	
fitting	ferrure	bracket	attachment	
fix	attacher - réparer - solution	attach - secure - repair	the plate is fixed with four screws	actions
fixture	bâti - support - montage	jig - cradle	assembly fixture - test fixture	tools
flange	flasque - bride	flat attachment surface	mounting flange - casing flange	hardware
flap	volet	door-panel	trailing edge - carriage - track - asymmetry - extension - retraction - handle	
flare	arrondi	rounded movement or shape	flare is when the pilot pulls on the stick just before touchdown	
flat	plat	plane	flat surface	description
fleet	flotte	group of aircraft of the same type or same airline	fleet of planes	
floor	plancher	bottom surface of a room etc.	cabin floor panels - floor protection	
flow	couler - débiter - débit	stream	fuel flow - airflow - flow chart - liters per hour	
flow chart	organigramme	diagram	troubleshooting - yes/no	troubleshooting
flush	rincer - à fleur	rinse - level with surrounding surface	flush the toilet - make sure the door is flush	description
foam	mousse	light synthetic material used for filling and packing	seat cushion foam	
foil	clinqant	very thin metal sheet	aluminum foil covers the glass wool blankets	
fold	plier - pli	bend	fold the mask - folding seat - folding table - the folds of the escape slide	Verbs-Vocab.
fold-out	dépliant	double page	schematic - drawing	
follow	suivre	go after - comply	follow me - following	
follow-up	suivre - suivi	monitor	technical follow-up	word building
foot	ped	12 inches - you stand on them	29 000 feet	warnings
footwear	chaussures	shoes	protective - with toe caps	
for	pour - pendant	used to - during	for removal - for you - for 3 hours	
forecast	prévision	projection - plan - estimation	weather forecast - economic forecast	word building
foreign object damage	ingestion - impacts	FOD - ingestion - impacts	inspect the engine intakes for FOD	damage
forward	avant	front	forward attendant panel	location
fourth	quatrième	4th	fourth stage	
free	libre - sans	clear - loose	static-free - moves freely	

freely	librement	without obstruction - easily	make sure the shaft moves freely	how you work
fully	complètement	completely - entirely - totally	make sure that the flaps are fully extended	how you work
funnel	entonnoir	conical object used to collect liquids	drain - oil	
furnishings	aménagements	fittings - decor	cabin	

G

gage	jauge	indicator	direct reading gage	
gap	écartement	space - distance	measure the gap	
garments	habits	clothes	protective	
gasket	joint plat	seal - packing	metal - cylinder head	hardware
gate	porte	logic switch - door - stand	AND gate - gate 27	
gearbox	boîte de vitesse	transmission	accessory gearbox	
get	obtenir - avoir - devenir	have - become	the brakes can get very hot	actions
give	donner	provide	the CRT gives information	
glareshield	auvent	FCU - between windshield and instrument panels	autopilot - cockpit	
glass	verre - verrine	transparent substance - cover	windshield - glass cockpit	description
gloves	gants	protection for your hands	hands	tools
go off	s'éteindre	go out - extinguish	when the temperature reaches its normal value the light goes off	actions
go away	s'en aller - disparaître	disappear	Make sure that all evidence of fretting has gone away	
goggles	lunettes de protection	face mask	eyes	tools
gold	or	Au	gold components - gold filament	
gouge	écorchure	nick	damage - impact	damage
grade	niveau - qualité	type - level	high grade - grade III	
gradually	progressivement	slowly - step by step	gradually increase the pressure	how you work
greater	plus grand que	more than	at low speed rudder deflection is greater than at high speed	quantities
groove	gorge - rainure	channel - spline	grooved bearing	hardware
ground	mettre à la masse - masse - immobiliser - sol	bond- earth	the aircraft is grounded during refueling - ground/flight logic	actions
growth	croissance	increase - expansion	crack growth - economic growth	
guard	cache	cover	switch guard - red guard	
guidelines	directives	instructions	manufacturers	
gun	pistolet	spray - hammer - machine	paint - riveting	tools

H

half	moitié	50%	half full	description
hammer	marteau - marteler	tap - mallet	gently	tools
hand	main	the end of your arm - each one has 5 fingers	hand tighten - put gloves on your hands	warnings
handle	manipuler - poignée	touch	with care - carrying handle	
hang	suspendre	suspend - attach	the projector hangs from the ceiling - hung start	
hard	dur	resistant - inflexible - tough - difficult	leave the varnish to dry until it is hard	description
hardness	dureté	stiffness - rigidity		description
hardware	quincaillerie - matériel	attachment fittings - computers	printers etc.	and software - nuts and bolts
hardware				
harmful	nuisible	dangerous	solvents are harmful	
harness	harnais	wiring - strap	electrical harness - shoulder harness	
haul	transport	carriage - range	long haul - long range	
have	avoir	possess	the A340 has a lower deck crew rest area	
have to	devoir	must - shall	you have to inspect the tire pressure every day	modals
hazard	danger	risk	fire hazard - health hazard	hazards
head	tête	top	headset - overhead - head up display	warnings
heading	cap	direction of flight	navigation - course - direction	
heat	chauffer - chaleur	make hot - thermal energy	heat shield - heat exchanger	
heat sink	puits thermique	exchanger - radiator - cooler	brakes - electronic unit	
heavy	lourd	with weight	450 tonnes	description
height	hauteur	elevation	height - length - width - thickness - depth	description
hereafter	ci-dessous	below	see the steps described hereafter	
high	haut	with height	high pressure	description
hinge	articuler - charnière	articulated fitting	door - flap	hardware
hit	frapper - heurter	strike	do not hit the fitting with a hammer	actions
hoist	hisser - palan	crane	max load	
hold	tenir - maintenir - attendre - soute - attente	maintain - retain - grip - grasp - wait - compartment	hold the handrail - altitude hold	verbs-vocab
holddown	maintien	attachment - securing	holddown points - holddown rings	
holder	douille	receptacle - socket	lamp-holder - map-holder -	compounds

			glass-holder	
hole	trou	aperture - port - opening	insert the safety pin into the hole	
hollow	creux	not full of material - with air in the middle	tube - pipe - solid	Description
honeycomb	nid d'abeille	composite sandwich structure	honeycomb panels - core - weight saving	description
hook	crochet	curved attachment	attach the hook to the hoisting lug	hardware
hose	tuyau flexible	flexible pipe	hydraulic fluid is supplied in pipes and hoses	hardware
housing	logement - corps - carter	case - casing	bearing housing - spring housing	
how	comment	in what way	show me how to use the CD ROM	
however	cependant	but-nevertheless	It is damaged. However it can be repaired	linking
hub	moyeu	center	wheel hub - hub and spoke	
hung start	faux démarrage	engine start without full acceleration	wet start - shut down	
hurt	faire mal - blesser	injure	sharp objects can hurt you	hazards

idle	ralenti	minimum engine speed	engine rating - flight/ground idle	
ignore	ne pas tenir compte	disregard	ignore these error messages	
improve	améliorer	make better	fly by wire improves response time	verbs-vocab
in	dans - dedans - en	inside	in the radome - in flight-in progress	location
in progress	en cours	underway - current	work in progress	
inadvertently	accidentellement	accidentally	cause injury or damage - mistake	how you work
inboard	interne	inner	inboard flaps - move the part inboard	location
increase	augmenter - augmentation	rise	the booster increases the air pressure	verbs-vocab
inefficient	inefficace	ineffective	Carbon brakes are more inefficient when they are cold	description
injury	blessure	hurt	cut - burn - fracture - graze	
inlet	entrée	intake	ram air inlet - inlet valve	
inner	interne	inboard	inner flap	location
inoperative	inopérant	unserviceable - faulty - INOP - U/S	after the lightning strike the antenna was inoperative	description
input	entrée	order - signal - data	computer input - mechanical input	
intake	entrée dair	inlet	air - engine	
issue	éditer - émettre - édition - émission	distribute - edition	a new revision will be issued in October	
its	son - sa - ses	that belongs to an object	remove the sensor and its wiring	their

J

jack	vérin - fiche	actuator	screwjack - ballnut jack - headset jack	tools
jacket	chemise - gilet	sleeve - vest	life	
jack-up	mettre sur vérin	lift	jack up the aircraft	
jagged	ébréché	rough - sharp	edge - deburr	description
jam	grippage	seizure	servo jam	damage
jig	bâti	support	put the module on a jig	tools
job	travail - tache	task - work	job card	

K

keep	garder	retain	remove and keep the attachment parts	verbs-vocab
key	touche - clé	pushbutton	push - punch	keyboard
keyboard	clavier	set of computer keys	alphanumeric	key
kill	tuer	to be fatal	accident - mortal injury - fatality - warning - hazard	
knee	genou	central articulation on leg		warnings
knob	bouton rotatif	rotary button	turn the cabin rate knob	
know	savoir - connaître	be familiar with - understand	know the regulations	

L

lack	manque	not enough - insufficient quantity	there is a lack of lubrication	
ladder	échelle	steps	climb	
lamp	ampoule	bulb - light	replace the bulb if it is burnt out	
lamp holder	douille	socket	bulb	
lanyard	drisse - cordon	cord	oxygen mask - escape slide	
large	grand	big	small - medium - large	description
last	durer - dernier	take time - previous - ultimate	it lasts 10 minutes - do the last step again	
latch	verrouiller	lock - secure	the fasteners are latched	actions
laundered	nettoyé - lavé	cleaned	clothes - fabric	
lay	poser - étendre	put	lay the carpet along the aisle	
layer	couche	coat	one layer of top coat	
layout	aménagement - configuration	version	cabin layout	word building
lead	conduire - mener - câble	cause - result in - flex - cable	overheat leads to damage	leading edge
leading edge	bord d'attaque	front	wing - blade - airfoil	location
leak	fuir - fuite	seep - seepage - loss of fluid	oil - hydraulic	
leakage	fuite	leak - seepage	inspect for signs of fuel leakage	
leave	quitter - laisser	do not move - quit - go away	leave the switch in this position	let
leg	jambe-tronçon	support - stand - foot	last leg report - landing gear leg	warnings
length	longueur	longitudinal distance	height - width - depth - length of the runway	description
lens	optique - lentille	glass	light - camera	
less	moins	below	less than 3 liters	quantities
let	laisser faire	permit - allow	let the paint dry at room temperature	
level with	affleurant - de niveau avec	flush with	door level with the fuselage	description
lever	levier	handle	flap lever-door lever	
life	vie	existence - duration - lifetime	shelf life - active life	
lift	soulever - portance	to move up - raise - elevator	lift the handle - cart lift - thrust - weight and drag	actions
light	léger - clair - lumière	without much weight or force - pale color - lamp	light weight - light green - reading light	description
light-off	combustion	light-up	engine start - ignition	
likely	probable	probable	turn on the anti-icing when icing conditions are likely	
limit switch	contacteur de fin de course	end of travel microswitch	actuator limit switch	compounds
line	doubler - ligne	pipe - cable	the inside is lined with Teflon	

			- fuel line	
lining	habillage interne - garniture	liner - sleeve - furnishing	door lining - cabin lining	
link	liaison - bielle	connection - rod	torque/data/up	linking
lint-free	non-pelucheux	without fibers	cloth	
load	charger - charge	enter - place a weight	load cargo - load data - generator load	
location	localisation	position	damage location	
lock	verrouiller - freiner - bloquer - verrou	latch - close with a key etc. - block	door-nut - wheel - wire	
lock out	isoler	isolate	a mechanism locks out the low speed ailerons	
lockwasher	rondelle frein	tabwasher - nut retainer	nut and lockwasher	hardware
lockwire	fil à freiner	safety wire	cut and discard the lockwire	hardware
logbook	CRM	tech log	make an entry and sign the logbook	
look for	chercher	search	look for signs of corrosion	look at
look at	regarder	inspect - view	look at the scale	actions
loom	faisceau - toron de câbles	bundle - harness	wire loom	hardware
loop	boucle	circular line	fire detection	
loose	desserré	not tight - undone - unsecured	fitting - harness	description
loosen	desserrer	unscrew - untighten	loosen the nut and remove the bolt	tighten
lose	perdre	not have - mislay	put the parts in a bag so as not to lose them	hazards
loss	perte	reduction - missing	loss of power	
loudspeaker	haut parleur	it broadcasts announcements and music	passenger address	
low	bas	small quantity or height	low level - low speed	description
lower	inférieur - plus bas	bottom	lower deck	location
LRU	élément remplaçable en ligne	line replaceable unit	computer - during turnaround	
lug	patte - cosse - oreille	attachment point	terminal/hoisting	hardware

M

magnet	aimant	metal part that attracts other metals	generator - coil - core	
main	principal	major	main landing gear	
make sure	s'assurer	ensure - assure - check	make sure that the area is clear	verbs-vocab
mandatory	obligatoire	compulsory - obligatory	this modification is mandatory	
maneuver	manœuvrer	operate - control - move	turn - bank - climb	
manifold	collecteur - rampe de distribution	distribution point or duct	bleed manifold	
map	carte	chart	map-holder - map light	
matching	assorti	corresponding	wires - mismatch	
mating	jonction - accouplement	joining - junction - coupling	mating surfaces	
mean	moyen	average	mean value - mean aerodynamic chord	
meet	rencontrer - satisfaire	comply with - satisfy	meet specifications	actions
metering	dosage	regulating	valve	
midway	au milieu	halfway - center	midway between the two ends	location
miscellaneous	divers	different - various	circuit breakers	
mismatch	non assortis	not corresponding	make identification marks to avoid mismatches	word building
missing	manquant	lacking - absent	three static dischargers are missing	
MLG	train principal	main landing gear	MLG and NLG doors	compounds
moisture	humidité	with water or liquid - dampness	moisture may accumulate on the window	
moisture-resistant	résistant à l'humidité	dampproof - protection against water	treatment - protection - material - leak - seepage - wet	
monitor	surveiller	watch	monitor engine parameters	actions
more	plus	greater than	250 knots is more than 250 mph	quantities
MOS		metal oxide semiconductor	printed circuit	
most	la plupart - le plus	majority	most of the airplane is in aluminum - the most efficient	quantities
motion	mouvement	movement	body - mass - force - momentum	
mount	monter - fixation	install - attachment	wing-mounted - APU mount - shock mount	
mouth	bouche	opening - used to speak and eat with	do not put them in your mouth - Bellmouth	

N

near	s'approcher - près	approach - close to		location
nearly	presque	almost	390: nearly 400	
neck	cou - col	between the body and head - narrow part	neck of the bottle	
network	réseau	circuit - system - web	aircraft electrical network - airline network - computer network	compounds
new	nouveau - neuf	recent - not old - not used	install new seals	description
nick	entaille	gouge	damage - impact	damage
nipple	embout - téton	fitting	grease nipple	
nitrogen	azote	inert gas	only inflate the tires with nitrogen	
noise	bruit	sound - parasites	noise abatement - amplifier noise	
nominal	nominal	standard - normal - theoretical	voltage - value	
notch	cran - encoche	detent - position - slot	Kruger flap - lever position	
note	relever - note	record	note the parameters	
nozzle	diffuseur - injecteur	spray	fuel - air - exhaust	
nut	écrou	it holds a bolt in position	bolt nut and washer	hardware

O

obey	obéir	follow - respect - comply with	obey the manufacturers instructions	
occur	parvenir	happen	injury may occur	actions
odd	impair - étrange	uneven - unusual	1-3-5-7	description
of	de	's-s'	type of turbine - length of the cable	
omit	omettre	not do	do not omit to read the instructions	
on	sur - en marche	in contact - energized - active	on the ceiling - on board - set the switch to on	location
once	une fois	one time - as soon as	the light goes off once all the doors are closed and locked	linking
one	un	a - a single	there is only one radar antenna	quantities
only	seulement	just - simply	use only lint-free cloth	how you work
operation	fonctionnement - opération	running - working - functioning	Description and Operation	System Operation
Drilling Operation	Flight Operations			
operate	(faire) fonctionner	run - actuate	the APU operates on the ground	
other	autre	different - contrary	move the wheel in the other direction	
otherwise	autrement	if not	unless otherwise indicated	
outer	externe	outboard	outer aileron	location
outflow	décharge	outlet	pressurization - outflow valve	
outlet	sortie	egress - exit	outlet port - oil - drain	
output	sortie	order - signal	electrical - electronic - shaft	
overall	hors tout	total	overall fuselage length	
overhaul	réviser - grand entretien	heavy maintenance	D check - overhaul manual	
overhead	supérieur	ceiling	panel	word building
overheat	surchauffe	too hot	warning	word building
overlap	chevaucher	cover partially - partly superimposed	the panels overlap	description
override	surpasser	take over	manual override	
oversized	surdimensionné	larger - too large	hole	word building
own	propre - à lui	specific - dedicated	each unit has its own power supply	

P

pack	groupe - ensemble	air cycle machine	air conditioning pack	
packing	joint - garniture - emballage	seal	replace the packing	hardware
pad	patte - tampon	base - support - mount	support	
paint	peindre - peinture	top coat - primer - put on paint		the way you work
pair	paire	couple	a pair of seats	
part	pièce - partie	component - portion	part number	
past	plus loin	further - beyond - over	do not go past this point	
path	parcours - trajectoire - itinéraire	route - track	flight path - escape	path markings
pattern	motif - forme	shape - repeated line - form or action	striped pattern - holding pattern - screen pattern - pattern of behaviour	
peak	crête	high - maximum	peak to peak - peak current	
pedestal	pylône	control stand	center pedestal - thrust levers	
per	conformément à - par	according to - by	do the test per AMM 34-12-00	how you work
perform	effectuer	do - carry out - accomplish	perform the inspection	
pick-off	capteur	pick-up-sensor	asymmetry position	word building
pin	broche	shaft	safety - feeder - cotter - programming	hardware
pintle	axe - goujon	pin - spindle	valve	
pipe	tuyau	line - duct	stainless steel pipe	
plate	plaquer - plaque	apply a coat of metal - flat panel	Cadmium-plated - retaining plate	
play	jouer - jeu	out of tolerance	play a recording - clearance - gap	
plentiful	abondant	much	quantity - amount	
plenum	chambre de tranquillisation	a space completely filled	APU plenum chamber	
plug	bouchon	cap - connector	magnetic - blanking - electrical	hardware
point	se diriger vers	face	point North - point to zero	
poisonous	toxique	harmful	materials - MEK	
poor	pauvre - mauvais	bad	poor reception - poor quality	description
port	orifice	aperture - hole	static port - refill port - parallel port	
portion	partie	part		
powder	poudre	material in the form of very small particles	talcum - deposit	
power plant	groupe propulseur	engine	ATA 72	

power	alimenter - alimentation	supply - feed	power-up test - pneumatic power	
prerequisite	préalable	requirement		need - require
pressure relief	surpression	overpressure	pressure relief valve	compounds
prevent	empêcher	avoid - stop	a check valve prevents inverse flow	
previous	précédant	prior - before	previous page-flight	hazards
printer	imprimante	machine to print	center pedestal - laser	word building
prior to	avant	before	prior to take off	
probably	probablement	likely	the discoloration was probably caused by a leaking hot air duct	the way you work
probe	sonde	sensor	probe heat - pitot - TAT-boroscope	
process	traiter - processus	handle - treat - manage	data - data processing	
proper	valable - correct	correct	use the proper tools	how you work
protruding	en saillie	extended - jutting out	pop out pin - mechanical indicator	description
provide	assurer	ensure - enable - achieve	two loops provide fire detection	
provided	à condition que	if - providing that	you can use the network provided you have electrical power	linking
puddle	flaque	pool of liquid on the ground	leakage - oil - water - on the ground	
pull	tirer	draw	pull the handle towards you	verbs-vocab
pulley	poulie	wheel for cable run	cable run - bellcrank	
purpose	but - fonction	aim - function - reason	the purpose of the removal	
put	mettre	place	put the assembly in position	verbs-vocab

Q

QAD	attache rapide	quick attach detach - fastener	ring - clamp	hardware
quadrant	secteur - guignol	bellcrank	flight controls - rod - cable run	
quarter	quart	25%	a quarter turn	quantities
quick-disconnect	attache rapide	QAD - fastener	instrument panels	hardware

R

radius	rayon	half a diameter	circle - diameter	description
raise	soulever - augmenter	lift-increase-hoist	raise the gear with a jack	verbs-vocab
ragged	déchiqueté	jagged - sharp - burred - torn	ragged edges - deburr	Description
random	aléatoire	chance	RAM: random access memory	
range	plage - gamme - rayon d'action	arc - band	green range - product range - maximum range	
rate	taux	speed - degree of variation	rate of climb - feet/minute	quantities
rather than	plutôt que	in place of - instead of	use solvent rather than water	
rating	régime - qualification	speed - specification	engine rating - type rating	
ratio	rapport	scale - relation	1:10	
reach	atteindre	arrive at - go to	when the temperature reaches 65 °C	actions
readout	indication	display - indication	parameters	
rear	arrière	aft - back	rear passenger door	location
recess	cavité - évidement	cavity-hollow	the table folds into a recess	
recoil	rebondir - détente - recul	reaction	spring - shock absorber	
record	enregistrer - noter - trace - archive	note	inspect and record any damage	
reduce	réduire	decrease-fall-drop	shock mounts reduce vibrations	verbs-vocab
refer to	se reporter à	see	AMM 23-11-00	actions
regardless	quelque soit	whatever - irrespective of	regardless of the cost	linking
related	associé	relevant - corresponding	install the valve and its related drive	endings
release	relâcher - expédier	remove	release the push-button - release brakes - release the a/c	actions
reliability	fiabilité	operational efficiency	MTBF - MTBUR - dispatch	
remain	rester	stay	the elevator remains in the same position	
remote	à distance	from a distance	remote control	
remove	déposer - enlever - retirer - démonter	de-install - dismantle - disassemble	removal and installation	verbs-vocab
repair	réparer - réparation	fix - remove damage or failure	repair the failure	the way you work
replenish	compléter le niveau	top up	oil level	hazards
report	signaler - compte rendu	tell - advise	report any missing parts for replacement	hazards
request	demander	ask for	request start-up clearance	hazards
require	nécessiter	need	this requires external power	actions
requirement	besoin	need	special requirements	

reroll	enrouler	coil - wind	cable - tape	
restrainer	frein	lock - retainer		
retainer	frein - retenue	circlip - retaining ring	blade - assembly	
retract	rentrer - se retirer	stow - compress	landing gear - flaps	actions
rework	retoucher	repair - hone	distortion - deformation	the way you work
rigging	brochage - réglage	adjustment	rigging pin - rigging hole	
ring	sonner - entourer - anneau - bague	sound - seal	a bell rings - O ring	
rippling	ondulation	deformation - wave effect	skin	damage
rise	se lever - augmenter - augmentation	increase - climb	temperature rise - push for rise	
rod	bielle - biellette	bar	hold-open rod - tie-rod	hardware
roller	galet	rotating cylinder	tracks - bearings - carriage	
rough	rugueux	abrasive	surfaces - edges	description
roughness	rugosité	abrasiveness	surface roughness	description
route	acheminer	lay	route the cables	
routing	acheminement	racetrack	wiring - lines - cables-piping - plumbing	
row	rang - rangée	transversal line	seat row - row of keys	
rub	frotter	fret	the blade tips rub against the abradable panels	verbs-vocab
rubber	caoutchouc	flexible substance	tires - O-ring - seal	description
run	courir - marcher - fonctionner	operate - work	with one engine running - runaway - runway - "run-ran-run"	Verbs-Vocab. - Word Build.
runaway	emballement	uncontrolled movement	thermal-mechanical	
rupture	cassure	failure - breakage	structure - member	

S

safety	sécuriser - sécurité	lock - maintain in position	open safety and tag these circuit breakers - pins - clips	
safety lock	sécurité	safety - ground lock	install the gear safety-locks	compounds
same	même - pareil	equal - identical	value A must be the same as value B	quantities
scale	échelle	graduations - counter	glide - speed - attitude	
scan	balayer - balayage	sweep	scan the horizon - radar scan - scanning pattern	
schedule	programme(r)	timetable	maintenance schedule	
scrap	rebuter	discard	scrap the consumable parts	
scratch	éraflure	long narrow cut	cuts nicks and scratches	damage
screen	écran - crépine	CRT - display unit - filter	radar screen - wire mesh screen - inlet screen	
scroll	faire défiler	move up/down	text - page	
seal	étancher - joint - plomb	O-ring	lubricate - labyrinth	hardware
sealant	mastic	compound	apply a bead of sealant	
seat	asseoir - siège	place	valve seat - passenger seat	
secure	attacher	fasten - maintain	secure the load	
securely	solidement	tightly	fastened	secure
seepage	suinter - suintement	slow leak	fuel tanks - pipes	
seizing	grippage	jamming	piston - actuator	
self-explanatory	évident	evident - obvious - clear	the term access door is self-explanatory	compounds
send	envoyer	dispatch	send a message	actions
sense	détecter - détection	detect - detection	sense line - sensing element	sensor
sensor	capteur - sonde	pick-up - detector - probe	temperature	
serial	en série	in series	serial number - serial link	
series	série	sequence	connected in series - a series of incidents	serial
set	positionner - afficher - calibrer - jeu	put - select - group	set the switch to ON - set the altitude - a set of tools	actions/hardware
setting	réglage - calage	position - calibration	thrust levers - microswitch	
set-up	mise en place - préparation	prerequisite - preparation	job set-up	endings
severe	grave - important	serious - extensive	damage - icing	
shaft	arbre	arbor - spindle - axle	drive shaft - crankshaft - splined shaft	
shall	doit	must - have to - is to be	obligation - regulations	modals
sharp	pointu - tranchant	jagged - cutting - pointed	object - blade - knife	description
sheet	feuille	page - panel	sheet 2/3 - metal sheet	
shelf	étagère	rack	on the shelf - stores - shelf life	
shield	bouclier	protection	windshield - heatshield -	

			glare shield	
shielded	blindé	shrouded - protected	wiring - piping	shield
shiny	brillant	glossy - that reflects light	steel - Chromium plating - PVC	description
shipping	expédition	dispatch - transport	shipping container - shipping date	
shock absorber	amortisseur	damper - snubber - shock strut	main landing gear shock absorber	
shop	atelier	workshop	shop manual - return to the shop	
short	court - court circuit	of small length - short circuit(s)	wiring	description
shorten	racourcir	shrink - compress	landing gear leg	lengthening - widening - thickening
should	devrait	ought to	recommendation	modals
shoulder	épaule	part of the body each side of your neck	shoulder harness	warnings
show	montrer - afficher	display - indicate	the gage shows a low level	
shroud	carénage - blindage	shielding - sheath - panel	engine - casing - abradable - piping	
shutdown	arrêt moteur/APU	stop	auto shutdown	
shutoff	arrêt - coupure	cutoff - isolation	shutoff valve	endings
side	côté - latéral	lateral	left hand side - side wall - sidestick	location
sight-glass	regard - jauge visuelle	sight gage - direct reading gage	read the level in the sight glass	endings
signal	commander - indiquer	order - indicate	the computer signals the actuator to extend	
single	unique	one - alone	single engine	quantities
size	taille - dimension	dimension	all sizes - small - medium - large	
skin	peau - revêtement	fuselage	body - panels	
sleeve	manchon - corset	cylindrical part	hold-open rod locking sleeve	hardware
slide	coulisser - toboggan	translate - chute	escape slide	
sliding	coulissant	translating - moving sideways	sliding window	
slightly	légèrement	lightly - a little	slightly damaged	how you work
slot	créneau - encoche	notch	position - insert	
slow	lent	with low speed	rate - speed - increase - progress	description
smoothly	sans à-coups	gently - regularly	the shaft must rotate smoothly	how you work
snug	ajusté	tight	snug fit - fits and clearances	
so	donc	thus - therefore	the part is damaged so remove it	linking

socket	douille - réceptacle	receptacle	light - wrench	
soft	doux	flexible - pliable - smooth - not resistant	cloth - software	description
solder	braser - souder à l'étain	connect by heating a soft metal	wiring - electronic components	actions
spacer	entretoise	ring-collar	fittings - bolt - washer	
spacing	écartement	clearance - layout - distance between two things	ring - spacer	
spar	longeron de voilure	main wing member	front spar - rear spar - false spar - ribs - root - tip - fuel tanks	
spark	étincelle	flash	igniter - explosion	
spill	déverser	overflow	refueling - oil	
spline	cannelure - clavette	groove - channel	splines of the shaft - splined shaft	Hardware
splined	cannelé	grooved - ribbed - serrated	drive shaft	
split	fendre - division	separate - separation	split in two halves	
spool	bobine - attelage	coil	wire - winding - N2	
spray	vaporiser	vaporize - atomize	the nozzle sprays oil onto the bearings	
spread	(s)étaler - (s)étendre - croissance	grow - growth - scatter	corrosion spreads - crack spread	
spring	ressort	mechanical coil	spring-loaded	hardware
spring-loaded	à ressort - à rappel	with automatic recall	spring-loaded switch	hardware/compounds
spur	eperon - ergot - pignon droit	gear	spur gear	
spurious	intempestif	unwanted - false	message-data	
square	carré	rectangular figure with 4 equal sides	square meter-square root - RMS	description
squat switch	microcontact train	ground/flight microswitch	shock absorber	
squib	cartouche	cartridge	fire extinguisher squib	
stagger	décaler - échelonner	shift - offset	working hours - baffle - vanes	
stain	tacher - tache	mark	coffee stains - toilet fluid stains	damage
stainless	inoxydable	without corrosion	stainless steel	word building
stand	pylône - support	center pedestal	control stand	
standby	de secours	alternate - backup	system - frequency	
status	état	condition - state	status message	
stay	rester - contrefiche	remain - strut	the valve closes and stays closed - side stay - lockstay	actions
steady	régulier - fixe	constant	light - not flashing - progress -flight	description
steel	acier	treated iron alloy	stainless	description
steering	orientation	directing the nose wheels	nose wheel - tiller - nose gear - cylinder - lock-out	removal and installation

step	marcher - marche - étape	walk-action	no step - go up the steps - this task comprises 7 steps	
stick	coller - manche	bond - seize - sidestick	bonding agent - flight controls	
stickshaker	vibreux de manche	stall warning	stall warning	
stiff	raide	hard - hard point	lever - linkage - controls	description
still	encore - toujours	now - currently	make sure the pointer is still in the green range	how you work
stop	arrêter - butée	terminate movement - restraint	mechanical stop - door stop - retractable stop	hardware
storage	stockage - mémoire	memory	data - fuel - water	
stowage	rangement	compartment	emergency equipment - oxygen	
straight	droit	rectilinear	line - ahead	description
straightedge	règle	ruler	flight controls - adjustment	straight edge
straighten	redresser	rectify - flatten - unbend	straighten the bent blade	description
strain	contrainte - effort - tension - fatigue	stress - load	strain gage - failure - distortion - structure	
strainer	crépine	filter - mesh - grid	oil - clog	
strap	sangle - bande - fil - collier	harness - wiring - braid - belt	bonding strap	hardware
strength	force	resistance	materials	
strip	dénuder - bande - ruban	to bare - tape	strip the wire - anti-fretting strip	
stroke	coup - course	travel - movement	4-stroke engine - up-stroke	
strong	fort	resistant - tough	structure	description
strut	contrefiche	stay	drag/side strut	
stud	goujon - plot	dowel - pin	stud thread - mounting stud	actions
sub-assembly	sous - ensemble	part of an assembly	NHA - components	word building
subsequent	ultérieur	later - after	subsequent action	
such	tel (que)	for example - e.g; - like	wide bodies such as the 747 777 and 340	
suction	aspiration	drawing - pulling	hydraulic suction line	
sufficiently	suffisamment	enough	sufficiently protected - (NB protected enough)	how you work
suitable	approprié	applicable - relevant - corresponding	tools - materials	
sum	cumulate - somme	add - total	the sum of all the values	
sump	carter d'huile - puisard	pan - low point	engine oil	
supply	alimenter - alimentation	feed - power	to supply fuel - power supply	
susceptible	susceptible	likely - that may - exposed/prone to	susceptible to failure	
swage	sertir	crimp	swaging tool	the way you work
sweep	balayer	scan	the wiper sweeps an arc of 69°	
swell	gonfler	expand - inflate	heat - wet	

switch	commuter - interrupteur	transfer - selector	switching panel - micro- pressure - thermal - proximity	
--------	-------------------------	---------------------	--	--

T

tab	patte - volet	tang - bracket	trim tab	
tab washer	rondelle frein	lock washer	nut and tab-washer	tab
tag	étiqueter - étiquette	label	open safety and tag these circuit breakers	verbs-vocab
tap	tapoter - tarauder - soutirer - robinet	hit - faucet	tap test - wash basin	
tape	bande - ruban	strip	double sided - aluminum	
target	cible	goal - aim - objective	proximity detector	
task	tâche	job	task number	
teeth	dents	splines	gear - gearwheel - mesh - pinion	
tell	informer - commander	report - advise - inform - order	tell Engineering if you see any damage	actions
terminal	bornier	electrical connection distribution point	terminal block - cover - studs - loom	hardware
terminal block	bornier	a group of terminals	cover - harness	
that	que - cela - celui-là	which	remove the screws that hold the bracket to the panel	
the	le - la - les	definite article	the ENG 2 master lever	
their	leur(s)	belonging to several objects or persons	install the panels and tighten their fasteners	its - his - your
there	là - il y a	function word that starts a sentence - in that place	there is one APU.-there are 4 wheels. They are mounted on bogies	
therefore	donc - par conséquent	so - thus - as a result	the part is U/S therefore replace it	linking
these	ces	objects or things referred to	follow these instructions :	this - that - those
they	ils - elles	function word that replaces objects or persons	there are 4 wheels. They are mounted on bogies	
thick	épais	with large thickness	layer - coat	description
thickness	épaisseur	distance from one side of material to the other	height - width - length - thick - thin	
thin	mince	fine - with small thickness	layer - coat	description thickness
third	troisième	3rd	first - second - third - fourth - fifth - sixth - seventh - eighth - ninth - tenth	
this	ce - ceci - celui-ci	the following	do this procedure	these
thorough	rigoureux - minutieux	in depth - detailed	inspection - check	
thread	filetage - pas	pitch	inspect the threads of the bolts	hardware
threshold	seuil	sill - entry	lights - value	
throughout	partout - à tout moment	everywhere	throughout the aircraft - throughout the flight	

thru	de...à... inclus	from....to	3 thru 17	location
thrust	poussée	power - pressure	thrust lever/plate	
thus	ainsi - donc	so - therefore - consequently		linking
tie	attacher - coupler	secure - join - link - connection	cable - busbar - rod	
tie-rod	bielle	link	connection - adjustment	
tight	serré - étanche	sealed - secured	the screws are tight - airtight	loose
tighten	serrer	screw - do up - increase tightness	tighten the nuts	loosen/tight
tiller	levier d'orientation du train avant	handwheel	nose wheel steering	
tilt	incliner - inclinaison	incline	radar - seat	
tip	extrémité - conseil	point - end - advice	wing tip - blade tip - practical tips	
to	à - vers	towards	set the switch to off - connect the pipe to the union	
toe-cap	bout de chaussure renforcé	reinforced end of shoe	safety precautions - clothing - injury	
toggle switch	interrupteur - inverseur	switch	ON/OFF - set	
too	trop - aussi	excessively - also	too much - replace the filter and seal too	
tool	outil	instrument	wrench - screwdriver	
tooth	dent	spline - sprocket - cog	gear tooth (NB pl. teeth)	
top	le haut - supérieur	cover - upper	top of the stairs - top of climb - top shelf	location
top up	compléter le niveau	replenish	oil - hydraulic	verbs-vocab
torque-wrench	clé dynamométrique	torque meter	m.daN-lb.f.in	tools
tough	robuste	strong	tires	
tow	tracter	pull	tow-bar	
toward	vers	to - towards	the pointer moves toward 0	location
track	suivre - piste - route - rail	follow - route - rail	beacon - channel - tape - flap track fairing - seat	
trailing	de fuite	aft - rear	trailing edge	leading
trap	piège - siphon	channel - gully	water trap	
travel	course - débattement	stroke - deflection	rudder travel - end of travel	
trend	tendance	tendency	speed trend arrow	
trim	équilibrer - corriger - ébavurer	balance - finish - deburr	flight controls - furnishing - structure	
troubleshooting	recherche de panne	fault isolation	failure - TSM - FIM - flow chart	
trunnion	tourillon - pivot	pivot - journal	landing gear	
try	essayer	attempt	try to keep the nozzle at 45°	
turn off	arrêter - couper	switch off - extinguish	turn off the lights	actions
turn on	allumer	switch on - energize	lights - power	verbs-vocab

twice	deux fois	two times		how you work
twin	double - bi	double	twin engine	description
twist	torsader	wind - braid - coil	twisted wires	

U

under	sous	below	under your seat - underfloor compartment	location
uneven	irrégulier	rough - irregular	surface - curve	description
union	raccord	coupling	hydraulic - elbow	hardware
unlatch	déverrouiller - déverrouillage	unlock - disengage	the clip is unlatched	
unless	à moins que	if not	do not remove unless it is U/S	linking
unscheduled	non - programmé	not planned	removal	word building
unserviceable	inopérant	inoperative-faulty	component	word building
until	jusqu'à - jusqu'à ce que	up to - as long as	the light remains on until the speed is normal	linking
unwanted	intempestif	spurious - inadvertent	unwanted message	
up to	jusqu'à	until	up to 10000 feet	
upper	supérieur	top	upper deck	location
upstream	en amont	higher on a fluid system	upstream of the manifold	location
usually	d'habitude	generally - normally	leaks are usually detected during the walkaround	how you work

V

vacuum	dépression - vide	suction - negative pressure	chamber - cleaner	
vane	aube - déflecteur	airfoil	outlet guide vanes - stator vanes	
various	divers	miscellaneous	items	
varnish	vernis	protective coating	transparent - protective - coat	
vendor	fournisseur	supplier	IPC - IPL - Lucas Aerospace - Daimler Benz - Goodrich - General Electric	
vent	mettre à l'air libre		surge vent tank	
vicinity	proximité	near	in the vicinity of	location
view	visionner - voir	see	display - inspection	
vise	étau	tool used to hold a part in position	tighten - hold	tools

W

wall	cloison - mur	partition - bulkhead	side wall - cabin	
waste	eaux usées - déchets	trash	water - tank - lavatory - drain	
wear	user - usure	fretting - decay	inspect for wear	damage
weight	masse - poids	mass	ZFW - MTOW - kg	
weld	souder	connect by fusion	arc /acetylene	how you work
well	puits - bien	bay - correctly	wheel well - inspect the fittings well	
wet	humidifier - humide	moist - damp	paint-water	description
wetting	humidification	damping - soaking	spraying - washing	
when	quand	while-as soon as	be careful when you operate the flaps on the ground	linking
whenever	chaque fois que	each time - when - if	whenever necessary	linking
whereas	tandis que	whilst - but	Airbus makes the A320 whereas Boeing makes the 777	linking
whether	si (... ou non)	if	whether the valve is open or closed	linking
which	qui - que - lequel	that	replace all parts which are missing	
while	pendant que	whilst - during	do not enter the area while the engine is running	linking
whole	entier	entire	the whole fuselage is insulated with glass wool blankets	description
wide	large	with a large width	the fuselage is 222in wide	description
width	largeur	breadth - distance from one side to the other	the width of the fuselage is 222 in - height - length - thickness - depth	description
winding	enroulement	coil	armature - inertia reel - drum	
windshield	parebrise	windscreen	windshield wiper	compounds
wing-bolt	vis à oreilles	butterfly bolt		
wipe	essuyer	clean - sweep	cloth - windshield wipers - cleaning	
wiper	essuie-glace	rubber blade and arm to clear windshield	windshield wiper	endings
wire	fil	cable - wiring	lockwire - conductor	
with	avec	using	clean the surface with a lintfree cloth	
within	à l'intérieur	in - inside	within tolerance	location
without	sans	not with	the shaft must turn without excessive effort	
workshop	atelier	shop	engine workshop - electronics workshop -	description - wear

			composite materials	
worn	usé	with surface material removed	surface - brakes	description wear
damage				
wrap	emballer - entourer	pack	paper - protection - parcel - shipping	
wrench	clé (à serrer)	spanner	torque wrench - socket wrench	tools
wrist strap	bracelet anti-statique	personal anti-static protection	electronic components	tools
write down	noter	record - note - fill in - fill out	write down the values	Verbs-Vocab.

X

X - no entries

Y

yoke	chape - volant	clevis - control wheel	linkage - attachment - spherical bearing	
------	----------------	------------------------	---	--

Z

Z - no entries